

# XIS-100XD<sup>TM</sup>



## PRODUCT DESCRIPTION

The XIS-100XD<sup>™</sup> is a compact X-Ray Inspection System (XIS) designed for screening large baggage and heavy cargo. Reconfigured with a symmetrical downshooter generator, the XIS-100XD<sup>™</sup> features a low conveyor height of only 30 cm (12") above the ground, to speed the loading and unloading of freight. Its unique design provides a slim operational profile and generates crisp, detailed images.

## **ABOUT ASTROPHYSICS**

Since 2002, Astrophysics has led the industry in research and development, creating integrated solutions to advance the critical security missions of our customers and partners. Headquartered outside of Los Angeles, CA in the USA, Astrophysics has over 40,000 systems deployed in more than 150 countries, safeguarding critical infrastructure, aviation, and ports and border sites worldwide.

### TOMORROW'S TECHNOLOGY FOR TODAY'S SECURITY™

## XIS-100XD

#### **GENERAL SPECIFICATIONS**

Tunnel Size: (WxH)	100.9 cm × 100.0 cm 39.7″ × 39.4″
Dimensions:1 (LxWxH)	239.5 cm x 127.5 cm x 191.0 cm 94.3″ x 50.2″ x 75.2″
Shipping Dimensions: <sup>1</sup> (LxWxH)	297.2 cm x 145.5 cm x 223.5 cm 90.0" x 57.3" x 88.0"
Net Weight:1	794 kg (1750 lbs)
Shipping Weight:1	930 kg (2050 lbs)
Conveyor Speed:	23 cm/s (45 ft/min) Forward or Reverse
Conveyor Height:	30.0 cm (12.0") from Floor
Conveyor Capacity:	220 kg (485 lbs) Evenly Distributed Load

#### **X-RAY GENERATOR & IMAGE PERFORMANCE**

Voltage: Tube Current: Wire Resolution:<sup>2</sup> Steel Penetration:<sup>2</sup> Cooling: Duty Cycle: Beam Direction:

180kV, Operating at 165kV 1.2 mA 40 AWG Typical, 38 AWG Standard 37 mm Typical, 35 mm Standard Sealed Di-Electric Oil Bath with Forced Air 100%, No Warm-Up Procedure Required Vertically Downward

#### **COMPUTER & VIDEO**

Platform: Display Type: **Display Resolution:** Memory: Storage Capacity:

Windows® 10 OS Dual 24" Flat Panel Monitors 1920 x 1200 8 GB RAM 256 GB SSD

0°C to 40°C / 32°F to 104°F

-20°C to 60°C / -4°F to 140°F

Up to 95% Non-Condensing

#### **ENVIRONMENTAL**

Operating Temperature: Storage Temperature: Humidity:

#### **ELECTRICAL**

System Power:	110VAC +/- 10% 50/60Hz, 15 Amp Max
	220 VAC +/- 10% 50/60Hz, 10 Amp Max
Power Conditioner:	Automatic Voltage Regulator (AVR)

#### **HEALTH & SAFETY**

Compliant with USFDA Center for Devices and Radiation Health Standards for Cabinet X-Ray Systems (21-CFR 1020.40) Typical radiation leakage is less than 0.1 mR/hr (Leakage less than 0.5 mR/hr permitted by U.S. Federal Standards)

## **FEATURES**

#### **STANDARD**

3 & 6 Color Imaging Black/White Imaging High Penetration Function Enhanced Imaging" Organic/Inorganic Imaging Pseudo Color Real-Time Image Manipulation Reverse Monochrome

Atomic Z-Number Measurement Geometric Image Distortion Correction Material Discrimination

Auto Image Archiving Image Review Save Image (RGB)

Baggage Counter Image Annotation JPEG Conversion Multi-Tier Accessibility Network Ready Print Image Capable Real-Time Self Diagnostics

9 Quadrant Zoom Continuous Scanning Continuous Zoom Up to 64x Vertical Zoom Panning

#### **OPTIONAL**

Artificial Intelligence (AI) Barcode Scanning Density Alert Local Language Safe Passage®Computer Based Training Screener Assist Software Test Case Threat Image Projection (TIP) Software

Central Management System Integration Multiplexing

Conveyor Capacity Load Increase External USB Ports Variable Conveyor Speed

Footmat Operator Interlock Roller Bed

Internal/External UPS Mobility Kit Radiation Meter Remote Workstation Configuration

Custom Paint Entry/Exit Roller Tables Environmental Kit



#### ISO 9001 & ISO 14001 CERTIFIED



<sup>1</sup>Weight and dimensions of the system may vary depending on customization. <sup>2</sup>As tested on Astrophysics Inc. Test Piece.

<sup>3</sup>Optional Features may affect lead time, price, and weight of product. Please contact your Astrophysics Sales Representative for more information.

Due to continued product development, Astrophysics Inc. reserves the right to amend all technical specifications without prior notice. Contact sales@astrophysicsinc.com for the most updated brochures.

Astrophysics HQ +1.909.598.5488

Astrophysics – EMEA +961.9.832.500

Astrophysics – INDIA +91.11.41709990

Astrophysics – ASIA +63.2.812.0033