

XIS-1080D[™]



PRODUCT HIGHLIGHTS

Artificial Intelligence (AI)

Enhanced Imaging™

Windows® Operating System with Intel® Core™ Processor

Easy Loading of Heavy Cargo

Real-Time Diagnostics







PRODUCT DESCRIPTION

ABOUT ASTROPHYSICS

The XIS-1080D™ is a compact X-Ray Inspection System (XIS) designed to scan heavy and large baggage. Its top mounted generator minimizes floor space and allows a conveyor height 30cm (12.0″) from the floor, enabling easy loading and unloading of heavy objects. Combined with Astrophysics best-in-class software, the XIS-1080D™ is the solution for compact high-throughput baggage and package scanning.

Since 2002, Astrophysics has led the industry in research and development, creating integrated solutions to advance the critical security missions of our customers and partners. Headquartered outside of Los Angeles, CA in the USA, Astrophysics has over 40,000 systems deployed in more than 150 countries, safeguarding critical infrastructure, aviation, and ports and border sites worldwide.

DCO#2990 P/N 50-00-PB30-00 Rev. I

XIS-1080D

GENERAL SPECIFICATIONS

Tunnel Size: 101.6 cm x 80.0 cm (WxH) 40.0" x 31.5"

Dimensions:1

242.2 cm x 127.5 cm x 171.4 cm (LxWxH) 94.5" x 50.2" x 67.5"

Shipping Dimensions:1 228.6 cm x 145.5 cm x 223.5 cm

90.0" × 57.3" × 88.0" (LxWxH) Net Weight:1 912 kg (2010 lbs) Shipping Weight:1 1043 kg (2300 lbs) 23 cm/s (45 ft/min) Conveyor Speed:

Forward or Reverse

Conveyor Height: 30.0 cm (12.0") from Floor

220 kg (485 lbs) Evenly Distributed Load Conveyor Capacity:

X-RAY GENERATOR & IMAGE PERFORMANCE

Voltage: 180kV, Operating at 165kV

Tube Current: 1.2 mA

Wire Resolution:2 40 AWG Typical, 38 AWG Standard Steel Penetration:2 37 mm Typical, 35 mm Standard

Sealed Di-Electric Oil Bath with Forced Air Cooling: **Duty Cycle:** 100%, No Warm-Up Procedure Required

Beam Direction: Vertically Downward

COMPUTER & VIDEO

Windows® 10 OS Platform:

Dual 24" Flat Panel Monitors Display Type:

Display Resolution: 1920 x 1200 8 GB RAM Memory: Storage Capacity: 256 GB SSD

ENVIRONMENTAL

0°C to 40°C / 32°F to 104°F Operating Temperature: Storage Temperature: -20°C to 60°C / -4°F to 140°F Humidity: Up To 95% Non-Condensing

ELECTRICAL

System Power: 110VAC +/- 10%, 50/60Hz, 15 Amp Max

220VAC +/- 10% 50/60Hz, 10 Amp Max

Power Conditioner: Automatic Voltage Regulator (AVR)

HEALTH & SAFETY

Compliant with USFDA Center for Devices and Radiation Health Standards for Cabinet X-Ray Systems (21-CFR 1020.40)

Typical radiation leakage is less than 0.1 mR/hr

(Leakage less than 0.5 mR/hr permitted by U.S. Federal Standards)

FEATURES

STANDARD

3 & 6 Color Imaging Black & White Imaging High Penetration Function Enhanced Imaging™ Organic/Inorganic Imaging Pseudo Color

Reverse Monochrome

Atomic Z-Number Measurement Geometric Image Distortion Correction

Material Discrimination Real-Time Image Manipulation

Auto Image Archiving Image Review Save Image (RGB)

Baggage Counter

Image Annotation JPEG Conversion Print Image Capable

Multi-Tier Accessibility Network Ready Real-Time Self Diagnostics

9 Quadrant Zoom Continuous Scanning Continuous Zoom Up to 64x Vertical Zoom Panning

OPTIONAL

Artificial Intelligence (AI) Barcode Scanning Density Alert

Local Language Safe Passage® Computer Based Training Screener Assist Software

Test Case

Threat Image Projection (TIP) Software

Central Management System

Integration Multiplexing

Conveyor Capacity Load Increase External USB Ports Variable Conveyor Speed

Custom Paint Entry/Exit Roller Tables Environmental Kit

Footmat Operator Interlock

Internal/External UPS Radiation Meter

Remote Workstation Configuration



2422 mm 95.4 in

ISO 9001 & ISO 14001 CERTIFIED









¹Weight and dimensions of the system may vary depending on customization.

²As tested on Astrophysics Inc. Test Piece.

Optional Features may affect lead time, price, and weight of product. Please contact your Astrophysics Sales Representative for more information.

Due to continued product development, Astrophysics Inc. reserves the right to amend all technical specifications without prior notice. Contact sales@astrophysicsinc.com for the most updated brochures.



Astrophysics HQ +1.909.598.5488

Astrophysics – EMEA +961.9.832.500

Astrophysics – INDIA +91.11.41709990

Astrophysics - ASIA +63.2.812.0033