

XIS-1818DV



PRODUCT DESCRIPTION

The XIS-1818DV 320kV[™] is the ultimate cargo X-Ray Inspection System (XIS), designed for increased penetration screening of heavy cargo. The system features powerful dual 320kV generators that provide the best penetration and image resolution in its class. With field proven reliability, comprehensive Real-Time Diagnostics, and a reputation for customer service excellence, Astrophysics is the premier air cargo partner.

ABOUT ASTROPHYSICS

Since 2002, Astrophysics has led the industry in research and development, creating integrated solutions to advance the critical security missions of our customers and partners. Headquartered outside of Los Angeles, CA in the USA, Astrophysics has over 40,000 systems deployed in more than 150 countries, safeguarding critical infrastructure, aviation, and ports and border sites worldwide.

TOMORROW'S TECHNOLOGY FOR TODAY'S SECURITY™

XIS-1818DV

GENERAL SPECIFICATIONS

| Tunnel Size: (WxH) | 181.0 cm x 180.5 cm 71.3″ x 71.1″ |
|-------------------------------------|---|
| Dimensions: ¹ (LxWxH) | 1069.4 cm x 310.5 cm x 314.3 cm 421.0" x 122.3" x 123.8" |
| Net Weight:1 | 16000 kg (35275 lbs) |
| Shipping Weight:1 | 20000 kg (44095 lbs) |
| Conveyor Speed: | 20 cm/s (40 ft or 12m/min) |
| | Forward or Reverse |
| Conveyor Height: | 38.1 cm (15") from Floor |
| Conveyor Capacity: | 3000 kg (6614 lbs) Evenly Distributed Load |

X-RAY GENERATOR & IMAGE PERFORMANCE

| Voltage: | Dual 320kV Generators |
|---------------------------------|--|
| Tube Current: | Dual 7.0 mA |
| Wire Resolution: ² | 40 AWG Typical, 38 AWG Standard |
| Steel Penetration: ² | 80 mm Typical, 75 mm Standard |
| Cooling: | Integrated Cooler Unit with Forced Air |
| Duty Cycle: | 100%, No Warm-Up Procedure Required |
| Beam Direction: | Horizontally Sideward, Vertically Downward |

Windows® OS

1920 x 1200

8 GB RAM

256 GB SSD

COMPUTER & VIDEO

Platform. Display Type: Display Resolution: Memory: Storage Capacity:

ENVIRONMENTAL Operating Temperature: Storage Temperature: Humidity:

0°C to 40°C / 32°F to 104°F -20°C to 60°C / -4°F to 140°F Up To 95% Non-Condensing

Dual 24" Flat Panel Monitors

ELECTRICAL

| System Power: | 220VAC +/- 10%, 50/60Hz, 100 Amp Min. |
|--------------------|--|
| Power Conditioner: | Uninterruptible Power Supply (UPS) (Computer Operation) |

HEALTH & SAFETY

Compliant with USFDA Center for Devices and Radiation Health Standards for Cabinet X-Ray Systems (21-CFR 1020.40) Typical radiation leakage is less than 0.1 mR/hr (Leakage less than 0.5 mR/hr permitted by U.S. Federal Standards)

FEATURES

STANDARD

3 & 6 Color Imaging Black & White Imaging **High Penetration Function** Organic/Inorganic Imaging Enhanced Imaging™ Pseudo Color Reverse Monochrome

Atomic Z-Number Measurement Geometric Image Distortion Correction Material Discrimination Real-Time Image Manipulation

Auto Image Archiving Image Review Manual Bitmap Archive

Baggage Counter Image Annotation Multi-Tier Accessibility Network Ready Print Image Capable Real-Time Self Diagnostics

9 Quadrant Zoom Continuous Scanning Continuous Zoom Up to 64x Vertical Zoom Panning

OPTIONAL

Barcode Scanning Computer Based Training (CBT) Density Alert Local Language Safe Passage® Computer Based Training Screener Assist Software Test Case Threat Image Projection (TIP) Software


Conveyor Capacity Load Increase External USB Ports Variable Conveyor Speed

ARGO

Custom Paint Entry/Exit Roller Tables Environmental Kit

Footmat Operator Interlock

Radiation Meter Remote Workstation Configuration



ISO 9001 & ISO 14001 CERTIFIED





DCO#2990 P/N 50-00-PB29-00 Rev. L

¹Weight and dimensions of the system may vary depending on customization. ²As tested on Astrophysics Inc. Test Piece.

³Optional Features may affect lead time, price, and weight of product. Please contact your Astrophysics Sales Representative for more information.

Due to continued product development, Astrophysics Inc. reserves the right to amend all technical specifications without prior notice. Contact sales@astrophysicsinc.com for the most updated brochures.

Astrophysics HQ +1.909.598.5488 Astrophysics – EMEA +961.9.832.500

Astrophysics – INDIA +91.11.41709990

Astrophysics – ASIA +63.2.812.0033